




The Italian Solutions to 360°



Technical specifications / Especificaciones

	Engine / Motor	
	Petrol / Gasolina	Briggs & Stratton S 550 4 hp
	Transmission / Transmisión	
	Type / Tipo	meccanica / mecánica
	Forward low / Primera marcha	2,2 Km/h (1.4 mph)
	Forward high / Segunda marcha	3,9 Km/h (2.4 mph)
	Reverse / Marcha atrás	1,9 Km/h (1.2 mph)
	Tracks / Sistema de rodamiento	
	Standard track width / ancho de vía	180 mm (7.1 in)
	Track roller with grease / Rodillos oscilantes con grasa	2
	Automatic track tensioning spring / Pistas de ajuste automat. de la tensión del resorte	Si
	Performance and dimensions/ Rendimiento y dimensiones	
	Operating load / Capacidad operativa	350 Kg (772 lb)
	Dry weight / Peso del Equipo	193 Kg (425.5lb)
	Skip lenght / Longitud caja	da 1000 a 1200 mm (39.4 to 47.2 in)
	Skip width / Ancho caja	da 740 a 1040 mm (24.4 to 36.2 in)




	mm	in
(A)	1670	65.8
(B)	145	5.7
(C)	330	13
(D)	335	13.2
(E)	270	10.6
(F)	360	14.2
(G)	225	8.86
(H)	660	26
(I)	480	18.9
(L)	1000	39.4
(M)	740	29.1
(N)	600	23.6



Technical specifications / Especificaciones

	Engine / Motor	
	Petrol / Gasolina	Honda Gx 160 5 hp
	Transmission / Transmisión	
	Type / Tipo	meccanica / mecánica
	Forward low / Primera marcha	2,2 Km/h (1.4 mph)
	Forward high / Segunda marcha	3,9 Km/h (2.4 mph)
	Reverse / Marcha atrás	1,9 Km/h (1.2 mph)
	Tracks / Sistema de rodamiento	
	Standard track width / ancho de vía	180 mm (7.1 in)
	Track roller with grease / Rodillos oscilantes con grasa	2
	Automatic track tensioning spring / Pistas de ajuste automat. de la tensión del resorte	Si
	Performance and dimensions/ Rendimiento y dimensiones	
	Operating load / Capacidad operativa	400 Kg (882 lb)
	Dry weight / Peso del Equipo	195 Kg (430 lb)
	Skip lenght / Longitud caja	da 1000 a 1200 mm (39.4 to 47.2 in)
	Skip width / Ancho caja	da 740 a 1040 mm (24.4 to 36.2 in)



	mm	in ...
(A)	1670	65.8
(B)	145	5.7
(C)	330	13
(D)	335	13.2
(E)	270	10.6
(F)	360	14.2
(G)	225	8.86
(H)	660	26
(I)	480	18.9
(L)	1000	39.4
(M)	740	29.1
(N)	600	23.6



 **Cormidi**
Via Fonte, 342
Roccadaspide (SA) Italy
tel +39 0828 943688
fax +39 0828 943963

info@cormidi.com
www.cormidi.com

Dealer:

Cormidi Usa 
25 Broad St.
Norwalk, CT - USA 06851
tel +1 203-846-6120

art@cormidiusa.com
www.cormidiusa.com