

DRIVE THE CHANGE



BR.2018.04.0085.02.04

CORMIDI

CB5
MINI TRACH DUMPER



DRIVE THE CHANGE

STRENGTHS



The C85 puts incredible power in a compact and sturdy machine




The operators has a perfect access to all the controls and can keep all the parameters under control




The swinging bucket not only load the dumper but can unload it frontally



The window on the left side of the unit allow an immediate check of the fuel level



The design of the engine compartment allows easy access to all the component



Greasing the undercarriage is easy and fast: nothing has to be taken apart.



the diesel machine has a key protected fuel cap



Galvanized sheet, protects the moving parts from materials that could damage them



The air/water cooling system allows the machine to operate in extreme conditions

CORMIDI

C85

MINI TRACK DUMPER



STRENGTHS




The machine can be radio controlled for dangerous jobs.



Cooling system really efficiently help work in every condition.



Maintenance free throttle.



Connecting accessory that need more hydraulics has never been so easy.



A buzzer will alert the operator in case of necessity and display always allows easy reading of the working hours.



Mechanical parking and emergency brake.



Large and sturdy hooks to move the machine in total safety.



The machine's undercarriage oscillated to follow the terrain profile for increased stability and comfort.



When the situation needs a shorter unit, the stand can be closed, otherwise it opens to let the operator in.




CORMIDI

CBS

MINI TRACK DUMPER



DUMPER (RI)



	mm	inch.
A	2120	A 83.5
B	1336	B 52.6
C	739	C 29.1
D	810	D 31.9
E	285	E 11.22
F	250	F 9.84

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	566 kg 1248 Lb	541 kg 1193 Lb	588 kg 1296 Lb
STRUCK	0,28 m ³ 0.37 yd ³	0,28 m ³ 0.37 yd ³	0,28 m ³ 0.37 yd ³
HEAPED SAE	0,36 m ³ 0.47 yd ³	0,36 m ³ 0.47 yd ³	0,36 m ³ 0.47 yd ³



CORMIDI

CBS
MINI TRACK DUMPER



DRIVE THE CHANGE

DUMPER (RIX)



	mm	inch.
A	1860	A 73.2
B	1336	B 52.6
C	790	C 31.1
D	810	D 31.9
E	240	E 9.45
F	580	E 22.8
G	290	G 11.4




	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	658 kg 1.450,6 Lb	632 kg 1.393,3 Lb	682 kg 1.503,5 Lb
STRUCK	0,33 m ³ 0.43 yd ³	0,33 m ³ 0.43 yd ³	0,33 m ³ 0.43 yd ³
HEAPED SAE	0,42 m ³ 0.55 yd ³	0,42 m ³ 0.55 yd ³	0,42 m ³ 0.55 yd ³

CORMIDI

CBS
MINI TRACK DUMPER




DRIVE THE CHANGE



	mm	inch.
A	305	12.0
B	1336	52.6
C	1356	53.4
D	810	31.9
E	1950	76.8
F	260	10.2

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	562 kg 1239 Lb	536 kg 1181.7 Lb	586 kg 1292 Lb
STRUCK	0,19 m ³ 0,25 yd ³	0,19 m ³ 0,25 yd ³	0,19 m ³ 0,25 yd ³
HEAPED SAE	0,31 m ³ 0,41 yd ³	0,31 m ³ 0,41 yd ³	0,31 m ³ 0,41 yd ³

DUMPER (RI-Poly)



	mm	inch.
A	777	28.8
B	1336	52.6
C	730	29.1
D	810	31.9
E	1900	74.8

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	554 kg 1221 Lb	528 kg 1164 Lb	576 kg 1269.9 Lb
STRUCK	0,39 m ³ 0.51 yd ³	0,39 m ³ 0.51 yd ³	0,39 m ³ 0.51 yd ³
HEAPED SAE	0,53 m ³ 0.69 yd ³	0,53 m ³ 0.69 yd ³	0,53 m ³ 0.69 yd ³



CORMIDI

C85

MINI TRACK DUMPER



DUMPER (RIX-Poly)



	mm	inch.
A	777	28.8
B	1336	52.6
C	730	29.1
D	810	31.9
E	1900	74.8



	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	594 kg 1310 Lb	568 kg 1252 Lb	616 kg 1358 Lb
STRUCK	0,39 m ³ 0.51 yd ³	0,39 m ³ 0.51 yd ³	0,39 m ³ 0.51 yd ³
HEAPED SAE	0,53 m ³ 0.69 yd ³	0,53 m ³ 0.69 yd ³	0,53 m ³ 0.69 yd ³

CORMIDI

CBS
MINI TRACK DUMPER



SELF LOADING (AC-ACW)



	mm		inch.
B	1336	B	52.6
G	2595	G	102.2
I	835	I	32.9
H	1490	H	58.7
F	280	F	11.0
E	285	E	11.2

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	662 kg 1460 Lb	637 kg 1404 Lb	684 kg 1508 Lb
STRUCK	0,25 m ³ 0.33 yd ³	0,25 m ³ 0.33 yd ³	0,25 m ³ 0.33 yd ³
HEAPED SAE	0,34 m ³ 0.44 yd ³	0,34 m ³ 0.44 yd ³	0,34 m ³ 0.44 yd ³

CORMIDI




CBS

MINI TRACK DUMPER



DRIVE THE CHANGE

HI-TIP (HI)



	mm		inch.
A	1926	A	75.8
B	1336	B	52.6
C	739	C	29.1
D	810	D	31.9
E	1500	E	59.1
F	830	F	32.7
G	260	G	10.2

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	668 kg 1472.7 Lb	643 kg 1418 Lb	690 kg 1521 Lb
STRUCK	0,28 m ³ 0.33 yd ³	0,28 m ³ 0.33 yd ³	0,28 m ³ 0.33 yd ³
HEAPED SAE	0,36 m ³ 0.45 yd ³	0,36 m ³ 0.45 yd ³	0,36 m ³ 0.45 yd ³




CORMIDI

CBS
MINI TRACK DUMPER



DRIVE THE CHANGE

HI-TIP AND SELF LOADING (HIAC-HIACW)



	mm		inch.
A	620	A	24.2
B	1336	B	52.6
G	2595	G	102.2
I	835	I	32.9
H	1500	H	59.1
L	1345	L	53.0
F	260	F	10.2
R	830	F	32.7

	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT	765 kg 1687 Lb	740 kg 1631 Lb	787 kg 1735 Lb
STRUCK	0,25 m ³ 0.33 yd ³	0,25 m ³ 0.33 yd ³	0,25 m ³ 0.33 yd ³
HEAPED SAE	0,34 m ³ 0.44 yd ³	0,34 m ³ 0.44 yd ³	0,34 m ³ 0.44 yd ³


CORMIDI

C85
MINI TRACK DUMPER



DRIVE THE CHANGE

CONCRETE MIXER (AC)



	mm		inch.
B	1125	B	44.3
G	2595	G	102.2
I	835	I	32.9
H	425	H	16.7





	C10.85	C13.85	C14.85
OPERATIVE CAPACITY	800 kg 1764 Lb	800 kg 1764 Lb	800 kg 1764 Lb
TOTAL WEIGHT			
GROSS CAPACITY	240 L 63.4 gal	240 L 63.4 gal	240 L 63.4 gal
NET CAPACITY	130 L 34.3 gal	130 L 34.3 gal	130 L 34.3 gal

CORMIDI

CBS
MINI TRACK DUMPER



MINI LOADER (ML)



	mm		inch.
A	2600	A	102.4
B	1654	B	65.1
C	1884	C	74.2
D	1326	D	52.2
E	837	E	33.0
F	860	E	33.9

	C10.85	C13.85	C14.85
TOTAL WEIGHT		788 kg 1737 Lb	832 kg 1834 Lb
TIPPING CAPACITY		GROUND PRESSURE	
Without COUNTERWEIGHT	552 kg 1217 Lb	Without COUNTERWEIGHT	0,298 Kg/cm ² 4.24 psi
With COUNTERWEIGHT 120 KG / 264 LBS	643 kg 1417.58	With COUNTERWEIGHT 120 KG / 264 LBS	0,341 Kg/cm ² 4.85 psi

CORMIDI

CBS
MINI TRACK DUMPER





DRIVE THE CHANGE

Please note: The machines and accessories depicted in brochures and catalogues can vary from version to version, therefore please consult your distributor for a description of standard accessories and options available for each model. Cormidi reserves the right to change or to modify the specification of the machines without warning. The photos in catalogues and brochures represent the Cormidi machines in production at time of printing. However, newer and upgraded models may look different to the photos shown in this catalogue or brochure.

 Via Fonte, 342 Roccadaspide
(SA) Italy
ph. +39 0828 943688
fax +39 0828 943963

CORMIDI

25 Broad St, Norwalk
CT 06851, USA
ph.+1 203-846-6120
art@cormidiusa.com

